

WEST Search History

Hide Items

Restore

Clear

Cancel

DATE: Thursday, January 12, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L12	L11 and (monitor\$ or probe\$ or probing or track\$ or trace or histor\$ or rmon or scan\$)[ti,ab]	8
<input type="checkbox"/>	L11	l6 and L10	30
<input type="checkbox"/>	L10	(709/223 or 709/224 or 709/203 or 714/47 or 705/1).ccls.	18728
		<i>DB=EPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L9	2337607	7
<input type="checkbox"/>	L8	(monitor\$ or probe\$ or probing or track\$ or trace or histor\$ or rmon or scan\$) and (threshold or benchmark or baseline or (bench mark\$) or (base lin\$)) and (topology or infrastructure) and (business or commerce or ebusiness\$ or ecommerce or bank\$ or ebank\$ or financ\$ or efinanc\$)	3
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L7	l5 and L6	3
<input type="checkbox"/>	L6	(threshold or benchmark or baseline or (bench mark\$) or (base lin\$)) near12 (topology or infrastructure)	421
<input type="checkbox"/>	L5	(monitor\$ or probe\$ or probing or track\$ or trace or histor\$ or rmon or scan\$) near12 (threshold or benchmark or baseline or (bench mark\$) or (base lin\$)) near12 (business or commerce or ebusiness\$ or ecommerce or bank\$ or ebank\$ or financ\$ or efinanc\$)	141
<input type="checkbox"/>	L4	(monitor\$ or probe\$ or probing or track\$ or trace or histor\$ or rmon or scan\$) near12 (business or commerce or ebusiness\$ or ecommerce or bank\$ or ebank\$ or financ\$ or efinanc\$)	21614
<input type="checkbox"/>	L3	(monitor\$ or probe\$ or probing or track\$ or trace or histor\$ or rmon or scan\$) near12 (threshold or benchmark or baseline or (bench mark\$) or (base lin\$)) near12 (topology or infrastructure) near12 (business or commerce or ebusiness\$ or ecommerce or bank\$ or ebank\$ or financ\$ or efinanc\$)	1
<input type="checkbox"/>	L2	((monitor\$ or probe\$ or probing or track\$ or trace or histor\$ or rmon or scan\$) and (threshold or benchmark or baseline or (bench mark\$) or (base lin\$)) and (topology or infrastructure) and (business or commerce or ebusiness\$ or ecommerce or bank\$ or ebank\$ or financ\$ or efinanc\$)) [ti,ab]	1
<input type="checkbox"/>	L1	(20020099578 or 6427132)[pn]	2

END OF SEARCH HISTORY



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((monitor or probe or probing or track or trace or history or rmon or scan) and (threshold or bench...))"

e-mail printer friendly

Your search matched 2 of 1297674 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **DMS service management**
 DeLoria, W.C.; Bettis, L.J.;
 Military Communications Conference, 1995. MILCOM '95, Conference Record, IEEE
 Volume 3, 5-8 Nov. 1995 Page(s):967 - 971 vol.3
 Digital Object Identifier 10.1109/MILCOM.1995.483447
[AbstractPlus](#) | Full Text: [PDF](#)(404 KB) IEEE CNF
- ☐ 2. **QoS-driven server migration for Internet data centers**
 Ranjan, S.; Rolia, J.; Fu, H.; Knightly, E.;
 Quality of Service, 2002. Tenth IEEE International Workshop on
 15-17 May 2002 Page(s):3 - 12
 Digital Object Identifier 10.1109/IWQoS.2002.1006569
[AbstractPlus](#) | Full Text: [PDF](#)(741 KB) IEEE CNF

Searching for **(monitor or probe or track or trace) and (threshold or benchmark or baseline) and (topology or infrastructure)**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

161 documents found. **Only retrieving 250 documents (System busy - maximum reduced)**. Retrieving documents... **Order: number of citations.**

[The Case for Geographical Push-Caching - Gwertzman, Seltzer \(1995\) \(Correct\) \(191 citations\)](#)
 service. The modified server is responsible for **tracking** geographical access information for its files
reshold, the server replicates it. We are using **tracedriven** simulation to determine reasonable values
 When the demand for a file exceeds a replication **threshold**, the server replicates it. We are using
www.tns.lcs.mit.edu/~djw/library/seltzer.hotos.95.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).

[The Paradyn Parallel Performance Measurement Tools - Miller, Callaghan \(1995\) \(Correct\) \(167 citations\)](#)
 Paradyn controls its instrumentation overhead by **monitoring** the cost of its data collection, limiting its
 oo and its descendents. The fooFlg counter keeps **track** of whether foo is on the stack it is incremented
 space (and time) overhead typically associated with **trace**-based tools. Paradyn achieves this goal by
www.cs.wisc.edu/paradyn/papers/overview.ps.gz

[World-Wide Web Cache Consistency - Gwertzman, Seltzer \(1996\) \(Correct\) \(158 citations\)](#)
 nvalidation protocols depend on the server keeping **track** of cached data each time an item changes the
 cent research in Web cache consistency. Using **trace**-driven simulation, we show that a weak cache
 adopted by the Alex system uses an update **threshold** to determine how frequently to poll the server.
www.cs.rutgers.edu/~ricardob/courses/internet/papers/consist.ps.gz

[Speculative Data Dissemination and Service to Reduce Server... - Bestavros \(1996\) \(Correct\) \(78 citations\)](#)
 ata to tens of thousands of clients. We **monitored** the date of last update of remotely, locally,
 f reference property. We present results of **trace**-driven simulations that quantify the attainable
 document D i if p i j] T p ,for some **threshold** probability 0 !T p 1. A document D j is never
www.bu.edu/faculty/best/res/papers/icde96.ps

[Evaluation of TCP Vegas: Emulation and Experiment - Ahn \(1995\) \(Correct\) \(59 citations\)](#)
 output-buffer. Hitbox maintains two queues: one to **track** the output-buffer size, the other to emulate
 About half a second into the transfer, the lower **trace** reveals that a four packet gap fails to reach the
 imeout, Reno sets its congestion window **threshold** so that it can switch from exponential to
http.cs.berkeley.edu/~kkeeton/Netread/tcpvegas-sigcomm95.ps

[Endpoint Admission Control: Architectural Issues and.. - Breslau, Knightly.. \(2000\) \(Correct\) \(52 citations\)](#)
 o detect congestion, edge routers can passively **monitor** paths to ascertain the current load levels.
 n these designs, the hosts (the endpoints) **probe** the network to detect the level of congestion
 EXP and POO, respectively. The last source is a **trace** from the Star Wars movie [12] which uses 200 byte
www-ece.rice.edu/networks/papers/BKSSZ00.ps.gz

[The Jalapeño Dynamic Optimizing Compiler for Java - Burke, Choi, Fink.. \(1999\) \(Correct\) \(47 citations\)](#)
 under development. The OLM system is designed to **monitor** the performance of individual methods in the
 OLM subsystem detects that a certain performance **threshold** is reached. The controller uses the CCG and
 not yet robust enough to run all of the larger **benchmarks**. Although a prototype version of the OLM
www.mcs.newpaltz.edu/~hind/papers/grande99.ps

[Power-Aware Localized Routing in Wireless Networks - Stojmenovic, Lin \(2000\) \(Correct\) \(44 citations\)](#)
 uture because they greatly extend our ability to **monitor** and control the physical environment from remote
 he power of the signal should be above receive **threshold**. According to [PL]the power of signal
 shortest weighted path algorithm was used as a **benchmark**. Our comparison for the category of power
www.site.uottawa.ca/~ivan/power5.ps



(monitor or probe or discovery) and (threshold

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar Results 1 - 3 of 3 for **(monitor or probe or discovery) and (threshold or benchmark or baseline) and (topology or**

DoS Monitoring and Measurement Benchmarking

EBFF WP, T Zseby, F Schreiner - ist-mome.org

.. The Internet Performance **Monitor** polls the **probe** routers once ... When a **probe** is to
be sent, the packet is ... or measurement data exceeds a certain **threshold** (if the ...

[View as HTML](#) - [Web Search](#) - [ist-mome.org](#)

Thesis Proposal:

W Cheng - mosquito.homeip.net

.. project has defined the **probe** and gauge ... application layer" at the **infrastructure**
or operating ... Adaptive middlewares **monitor** and control software applications ...

[View as HTML](#) - [Web Search](#)

D-WARD: Source-End Defense Against Distributed Denial-of-Service Attacks

Mirkovic - Computer Science, 2003 - cis.udel.edu

.. 278 10.7 Network **topology** for Red Team Experiment ... 10.10 **Baseline** traffic — mixed
level ... Internet **commerce** sites, and even core Internet **infrastructure** services ...

Cited by 10 - [View as HTML](#) - [Web Search](#) - [lever.cs.ucla.edu](#) - [lasr.cs.ucla.edu](#) - [eecis.udel.edu](#) - [all 7 versions »](#)

(monitor or probe or discovery) and

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



(monitor or probe or track or trace) and (thresh

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
 The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar Results 1 - 8 of 8 for **(monitor or probe or track or trace) and (threshold or benchmark or baseline) and (topology**

DoS Monitoring and Measurement Benchmarking

EBFF WP, T Zseby, F Schreiner - ist-mome.org

.. data against which an analyst can **track** changes in ... The Internet Performance **Monitor**

rolls the **probe** routers once every ... When a **probe** is to be sent, the packet ...

[View as HTML](#) - [Web Search](#) - [ist-mome.org](#)

OPTICALLY PUMPED CESIUM-BEAM FREQUENCY STANDARD FOR GPS-III

R Lutwak, D Emmons, RM Garvey, P Vltas - 33 rd Annual Precise Time and Time Interval Systems and ..., 2001 - ycho.usno.navy.mil

.. of II/IIA Cs, can meet the **threshold** accuracy of ... other employs a high-gain dish to

track the WAAS ... PHASE FREQUENCY TRANSFER ON THE NIMA **MONITOR** STATION NETWORK. ...

[Cited by 3](#) - [Cached](#) - [Web Search](#) - [symmttm.com](#) - [csa.com](#)

D-WARD: Source-End Defense Against Distributed Denial-of-Service Attacks

M Mirkovic - Computer Science, 2003 - cis.udel.edu

.. 278 10.7 Network **topology** for Red Team Experiment ... 10.10 **Baseline** traffic — mixed

level ... Internet commerce sites, and even core Internet **infrastructure** services ...

[Cited by 10](#) - [View as HTML](#) - [Web Search](#) - [lever.cs.ucla.edu](#) - [lasr.cs.ucla.edu](#) - [eecis.udel.edu](#) - [all 7 versions »](#)

USENIX ANNUAL TECHNICAL CONFERENCE (USENIX'04)

R Farrow, B Bogstad, M Chow, B Cornell, RS Cox, T ... - unix.org

.. call performance on a server running the SpecWeb99 **benchmark**. ... are that there should

be zero **probe** effect when ... no other existing tool could **trace** this problem ...

[Web Search](#) - [db.unix.org](#) - [db.unix.org](#) - [unix.org](#) - [all 5 versions »](#)

ps] Providing Safety and Visibility for Mobile Users

Kim - 2004 - cs.dartmouth.edu

.. 102 6.9 Overall Performance for the Harvard **Trace** UDP **probe** ... **track** varying

performance quickly, resulting in retransmission timeouts (RTOs) that are ...

[View as HTML](#) - [Web Search](#)

Automatic control in microelectronics manufacturing: Practices, challenges, and possibilities

EF Edgar, SW Butler, WJ Campbell, C Pfeiffer, C ... - Automatica, 2000 - jarrettcampbell.tripod.com

.. keep **track** of different recipes for each chamber. ... Thus the fab supervisory controller

must only keep **track** of the product specifications. 2.1 Equipment Models ...

[Cited by 26](#) - [View as HTML](#) - [Web Search](#) - [ingentaconnect.com](#) - [emis.de](#) - [all 4 versions »](#)

Examination of performance issues between client systems and company owned web sites.

Pilkington - pilkington.dyndns.org

.. problems. The main characteristic of this tool is the ability to **trace** the ... built

n **trace** route utility. Thereby making it platform dependent to ...

[Web Search](#) - [btinternet.com](#)

National Facility for Advanced Computational Science: A Sustainable Path to Scientific Discovery

UC FUSION - repositories.cdlib.org

.. the most resources, the best **track** record of ... effort, starting with the **baseline**



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

(monitor or probe or probing or track or trace or history or rmon or scan)

SEARCH

Terms used

monitor or **probe** or **probing** or **track** or **trace** or **history** or **rmon** or **scan** and **threshold** or **benchmark** or **baseline** or **bench ma**

Sort results by

Display results

[Save results to a Binder](#)

[Search Tips](#)

☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)

Best 200 shown

1 [Link and channel measurement: A simple mechanism for capturing and replaying wireless channels](#)



Glenn Judd, Peter Steenkiste

August 2005

Proceeding of the 2005 ACM SIGCOMM workshop on Experimental approach

Publisher: ACM Press

Full text available: [pdf\(6.06 MB\)](#)

Additional Information: [full cita](#)

Physical layer wireless network emulation has the potential to be a powerful experimental tool. An important c possibility of using on-card signal strength measurements to capture wireless channel traces. A key advantage the req ...

Keywords: channel capture, emulation, wireless

2 [Measuring and characterizing end-to-end Internet service performance](#)



Ludmila Cherkasova, Yun Fu, Wenting Tang, Amin Vahdat

November 2003

ACM Transactions on Internet Technology (TOIT), Volume 3 Issue 4

Publisher: ACM Press

Full text available: [pdf\(1.46 MB\)](#)

Additional Information: [full cita](#)

Fundamental to the design of reliable, high-performance network services is an understanding of the performa performance is a challenging task. Current techniques include periodic sampling of service characteristics from server. Li ...

Keywords: End-to-end service performance, QoS, network packet traces, passive monitoring, reconstruction

3 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

November 1997

Proceedings of the 1997 conference of the Centre for Advanced Studies on C

Publisher: IBM Press

Full text available: [pdf\(4.21 MB\)](#)

Additional Information: [full cita](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diag tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not pi commun ...

4 [Bug isolation via remote program sampling](#)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.